Myasthenia Gravis Panel 2

Order Name: ACETY BBM
Test Number: 5500250
Revision Date: 01/01/2024

TEST NAME	METHODOLOGY	LOINC CODE
Acetylcholine Receptor Binding Antibody	See Test Notes	11034-6
Acetylcholine Receptor Blocking Antibody	See Test Notes	11561-8
Acetylcholine Receptor Modulating Antibody	Flow cytometry	30192-9

SPECIMEN REQUIREMENTS					
Specimen	Specimen Volume (min)	Specimen Type	Specimen Container	Transport Environment	
Preferred	2 mL (1.5)	Serum	Clot Activator SST	Refrigerated	
Alternate 1	2 mL (1.5)	Serum	Clot Activator (Red Top, No-Gel)	Refrigerated	
Instructions	Separate serum from cells ASAP or within 2 hours of collection Unacceptable Conditions: Contaminated, hemolyzed, or severely lipemic specimens. Stability After separation from cells: Ambient: 2 hours; Refrigerated: 2 weeks; Frozen: 1 year (avoid repeated freeze/thaw cycles)				

GENERAL INFORMATION			
Testing Schedule	Sun-Sat Sun-Sat		
Expected TAT	4-6 Days		
Clinical Use	Myastenia Gravis is a neurological disorder characterized by a decrease in acetylcholine receptors. Patients exhibit skeletal muscle weakness and fatigability. Approximately 80% of patients with Myastenia Gravis, excluding ocular involvement only, have detectable acetylcholine receptor antibody.		
CPT Code(s)	86041, 86042, 86043		
Lab Section	Reference Lab		

Service provided by Labcorp Oklahoma, Inc. All Rights Reserved. © 2003 - 2025