Trazodone Level

Order Name:**TRAZODONE**Test Number:3638625Revision Date:06/28/2023

TEST NAME		МЕТ	HODOLOGY	LOINC CODE	
Trazodone Level		Qua	ntitative Liquid Chromatography/Tandem Mas	ss Spectrometry 4064-2	
SPECIMEN REQUIREMENTS					
Specimen	Specimen Volume (min)	Specimen Type	Specimen Container	Transport Environment	
Preferred	2 mL (0.6 mL)	Serum	Clot Activator (Red Top, No-Gel)	Room Temperature	
Alternate 1	2 mL (0.6 mL)	Plasma	Lithium Heparin (Dark Green Top / No-Gel)	Room Temperature	
Instructions	Specimen Type: Red-top tube OR green-top (heparin) tube. DO NOT USE A GEL-BARRIER TUBE. The use of gel-barrier tubes is not recommended due to slow absorption of the drug by the gel. Depending on the specimen volume and storage time, the decrease in drug level due to absorption may be clinically significant. Specimen Storage: Room Temperature Specimen Collection: Transfer separated serum or plasma to a plastic transport tube. Specimen Stability: Ambient: 14 days, Refrigerated : 14 days, Frozen: 14 days				

GENERAL INFORMATION		
Expected TAT	2 - 4 days three working day.	
Clinical Use	Trazodone is indicated for treatment of depression. Also known as: Desyrel.	
Performing Labcorp Test Code	071688	
Notes	Labcorp Test Code: 071688	
CPT Code(s)	80338 (G0480)	
Lab Section	Reference Lab	