

Selenium Level Urine

Order Name: **SELENIUM U**

Test Number: 3658675

Revision Date: 10/16/2024

TEST NAME	METHODOLOGY	LOINC CODE
Creatinine Screen	Immunoassay (IA)	2161-8
Selenium Level Urine	Inductively-Coupled Plasma/Mass Spectrometry	5726-5
Selenium/Creatinine	Calculation	13467-6

SPECIMEN REQUIREMENTS				
Specimen	Specimen Volume (min)	Specimen Type	Specimen Container	Transport Environment
Preferred	3 mL (1.3 mL)	Urine, Random	Acid Washed, Trace Element Free Container	Refrigerated
Instructions	<p><b>Specimen:</b> 3mL(1.3mL) Random Urine in acid washed trace emelent free container</p> <p><b>Collection:</b> Unpreserved urine should be refrigerated immediately and analyzed within 1 week of collection. Acceptable preservatives include: Trace Metal Free Hydrochloric Acid or Nitric Acid (0.1 mL of 12M acid/10 mL urine).</p> <p><b>Stability Requirements:</b> Room temperature n/a, Refrigerated 30 Days, Frozen 12 Months</p> <p><b>Cause for Rejection:</b> Received Room Temperature</p> <p>Testing referred to National Medical Services NMSPA#4180U</p>			

GENERAL INFORMATION				
Expected TAT	8 days (If Positive: 13 days) from set up			
Performing Labcorp Test Code	833870			
Notes				
	ORDER CODE	REFLEX NAME	RESULT CODE	RESULT NAME
	4000073	.Rflex Specific Gravity	4000073	Specific Gravity Screen
			1001500	Specific Gravity Urine
CPT Code(s)	84255			
Lab Section	Reference Lab			