

Lacosamide Level

Order Name: **LACOSAMIDE**

Test Number: 3666950

Revision Date: 12/12/2022

TEST NAME	METHODOLOGY	LOINC CODE
Lacosamide Level	High-pressure liquid chromatography (HPLC) tandem mass spectrometry.	59297-2

SPECIMEN REQUIREMENTS				
Specimen	Specimen Volume (min)	Specimen Type	Specimen Container	Transport Environment
Preferred	0.25 mL (0.10 mL)	Serum	Clot Activator (Red Top, No-Gel)	Room Temperature
Alternate 1	0.25 mL (0.10 mL)	Plasma	EDTA (Lavender Top)	Room Temperature
Instructions	<p>Notes: 0.10 mL (Note: This volume Does NOT allow for repeat testing) .</p> <p>Specimen Type: Red-top tube, lavender-top (EDTA) tube, OR green-top (heparin) tube. DO NOT USE A GEL-BARRIER TUBE. The use of gel-barrier tubes is not recommended due to slow absorption of the drug by the gel. Depending on the specimen volume and storage time, the decrease in drug level due to absorption may be clinically significant.</p> <p>Container Detail: No SST</p> <p>Specimen Storage: Maintain specimen at room temperature.</p> <p>Specimen Collection: Transfer separated serum or plasma to a plastic transport tube.</p> <p>Specimen Stability: Ambient: 14 days, Refrigerated : 14 days, Frozen: 105 days</p>			

GENERAL INFORMATION	
Expected TAT	3 - 4 days
Performing Labcorp Test Code	007012
Notes	Labcorp Test Code: 007012
CPT Code(s)	80235
Lab Section	Reference Lab