

Mi-2 Autoantibodies

Order Name: **Mi-2 Auto Ab**

Test Number: 6905993

Revision Date: 12/12/2022

TEST NAME	METHODOLOGY	LOINC CODE
Mi-2 Autoantibodies	RIPA gel radiography	18485-3

SPECIMEN REQUIREMENTS				
Specimen	Specimen Volume (min)	Specimen Type	Specimen Container	Transport Environment
Preferred	1 mL (0.3 mL)	Serum	Clot Activator SST	Refrigerated
Instructions	<p><b>Notes:</b> 0.3 mL (Note: This volume Does NOT allow for repeat testing.)</p> <p><b>Specimen Type:</b> Red-top tube or gel-barrier tube</p> <p><b>Specimen Storage:</b> Refrigerate or FREEZE</p> <p><b>Specimen Collection:</b> Separate serum from cells within one hour of collection. Transfer to a plastic transport tube before shipping. To avoid delays in turnaround time when requesting multiple test on frozen samples, PLEASE SUBMIT SEPARATE FROZEN SPECIMENS FOR EACH TEST REQUESTED.</p> <p><b>Special Instructions:</b> Testing is performed at Esoterix Inc. ESECF# 237</p> <p><b>Specimen Stability:</b> Ambient: 7 days, Refrigerated : 14 days, Frozen: 60 days</p>			

GENERAL INFORMATION	
Expected TAT	14 - 21 days
Performing Labcorp Test Code	520000
Notes	Labcorp Test Code: 520000
CPT Code(s)	86235
Lab Section	Reference Lab