## Kappa/Lambda Light Chains Only - Serum

Order Name: Free Light Only

Test Number: 6907201 Revision Date: 01/01/2022

TEST NAME	METHODOLOGY	LOINC CODE
Free Kappa Light Chains	Turbidometric	36916-5
Free Lambda Light Chains	Turbidometric	33944-0
Free Kappa/Lambda Light Chains Ratio	Calculation	48378-4

SPECIMEN REQUIREMENTS				
Specimen	Specimen Volume (min)	Specimen Type	Specimen Container	Transport Environment
Preferred	2 mL (1 mL)	Serum	Clot Activator SST	Refrigerated
Instructions	Allow specimen to clot completely at room temperature. Separate serum from cells ASAP or within 2 hours of collection. Stability After separation from cells: Ambient 4hours, Refrigerated 7 days, Frozen 1 months (avoid repeated freeze/thaw cycles).			

GENERAL INFORMATION		
Testing Schedule	1-3 Days	
Expected TAT	Mon - Fri	
Clinical Use	Quantitative serum Kappa and Lambda with Kappa/Lambda ratio results	
Notes	Kappa/Lambda Light Chains without Pathology Interpretation	
CPT Code(s)	83521x2	
Lab Section	Immunology - Serology	

Service provided by Labcorp Oklahoma, Inc. All Rights Reserved. © 2003 - 2025