

Lead Capillary

Order Name: **Lead Capillary**
Test Number: 6906337
Revision Date: 01/16/2024

TEST NAME	METHODOLOGY	LOINC CODE
Lead Capillary	Atomic Absorption Spectrophotometry	10368-9

SPECIMEN REQUIREMENTS

Specimen	Specimen Volume (min)	Specimen Type	Specimen Container	Transport Environment
Preferred	0.5 mL (0.5 mL)	Whole Blood	EDTA (Lavender) Microtainer/Bullet	Refrigerated
Instructions	<p>USE: Monitor environmental lead exposure in children younger than 16 years.</p> <p>Specimen Type: Lavender-top (Microtainer) tube Specimen Storage: Maintain specimen at room temperature. Specimen Collection: Mix blood thoroughly to avoid clotting. Specimen Stability: Ambient: 14 days, Refrigerated : 14 days, Frozen: 14 days</p>			
<p>Use for capillary draws (fingerstick) only. If tan-top lead free tube or royal blue-top (EDTA) tube is collected, use test 6906338 Lead, Whole Blood (Pediatric) Venous</p>				

GENERAL INFORMATION

Expected TAT	1 -4 days after set up
Performing Labcorp Test Code	717016
CPT Code(s)	83655
Lab Section	Reference Lab