

ENA Screen

Order Name: **ENA SCR**
Test Number: 5570050
Revision Date: 03/26/2018

TEST NAME	METHODOLOGY	LOINC CODE
ENA Screen	Chemiluminescence Assay	

SPECIMEN REQUIREMENTS				
Specimen	Specimen Volume (min)	Specimen Type	Specimen Container	Transport Environment
Preferred	1 mL (0.5)	Serum	Clot Activator SST	Frozen
Instructions	Allow specimen to clot completely at room temperature. Separate serum from cells ASAP or within 2 hours of collection. Stability: Room Temperature 8hrs, Refrigerated: 48hrs, Frozen: 30 days. Transport Frozen			

GENERAL INFORMATION			
Testing Schedule	Mon-Fri		
Expected TAT	1-3 Days		
Clinical Use	Screen for specific antibodies (e.g. anti-RNP anti-Sm, anti-SS-A/Ro, anti-SS-B/La, Jo-1, anti-Scl-70) associated with various mixed connective tissue diseases.		
Notes	<p>ENA Screen includes: Anti-RNP, Anti-Sm, Anti-SSA/Ro, Anti-SSB/La, Anti-Scl-70 and Anti-Jo-1.</p> <p>Negative Screen will reflex to a Panel with titer result values at no extra charge. Positive ENA Screen will reflex to separate antibody tests to determine individual titer strength(s) at an additional cost.</p> <table border="1" style="width: 100%;"> <tr> <td style="width: 50%; vertical-align: top;"> <p>Negative ENA Screen Reflex</p> <p><i>Order code:</i></p> <p>[5599901] ENA Negative Antibody Titer</p> <p><i>Result Code(s):</i></p> <p>[5524300] ENA Scr RNP Ab [5524350] ENA Scr Sm Ab [5599898] ENA Scr SSA/Ro52 Ab [5599899] ENA Scr SSA/Ro60 Ab [5524450] ENA Scr SSB/La Ab [5524500] ENA Scr Scl-70 Ab [3608520] ENA Scr JO-1 Ab</p> </td> <td style="width: 50%; vertical-align: top;"> <p>Positive ENA Screen Reflex</p> <p><i>Order codes:</i></p> <p>[5572100] RNP Antibody [5510450] Smith Antibody [5599900] Sjogren's Antibodies [5564053] SCL-70 Antibody [3805378] JO-1 Antibody</p> <p><i>Click the test numbers above for individual test information</i></p> </td> </tr> </table>	<p>Negative ENA Screen Reflex</p> <p><i>Order code:</i></p> <p>[5599901] ENA Negative Antibody Titer</p> <p><i>Result Code(s):</i></p> <p>[5524300] ENA Scr RNP Ab [5524350] ENA Scr Sm Ab [5599898] ENA Scr SSA/Ro52 Ab [5599899] ENA Scr SSA/Ro60 Ab [5524450] ENA Scr SSB/La Ab [5524500] ENA Scr Scl-70 Ab [3608520] ENA Scr JO-1 Ab</p>	<p>Positive ENA Screen Reflex</p> <p><i>Order codes:</i></p> <p>[5572100] RNP Antibody [5510450] Smith Antibody [5599900] Sjogren's Antibodies [5564053] SCL-70 Antibody [3805378] JO-1 Antibody</p> <p><i>Click the test numbers above for individual test information</i></p>
<p>Negative ENA Screen Reflex</p> <p><i>Order code:</i></p> <p>[5599901] ENA Negative Antibody Titer</p> <p><i>Result Code(s):</i></p> <p>[5524300] ENA Scr RNP Ab [5524350] ENA Scr Sm Ab [5599898] ENA Scr SSA/Ro52 Ab [5599899] ENA Scr SSA/Ro60 Ab [5524450] ENA Scr SSB/La Ab [5524500] ENA Scr Scl-70 Ab [3608520] ENA Scr JO-1 Ab</p>	<p>Positive ENA Screen Reflex</p> <p><i>Order codes:</i></p> <p>[5572100] RNP Antibody [5510450] Smith Antibody [5599900] Sjogren's Antibodies [5564053] SCL-70 Antibody [3805378] JO-1 Antibody</p> <p><i>Click the test numbers above for individual test information</i></p>		
CPT Code(s)	86235		
Lab Section	Immunology - Serology		