## Gliadin Deamidated Antibody, IgA and IgG

Order Name: GLIADIN A/G
Test Number: 5558560
Revision Date: 01/01/2022

TEST NAME	METHODOLOGY	LOINC CODE
Gliadin Antibody IgA	Chemiluminescence Assay	63453-5
Gliadin Antibody IgG	Chemiluminescence Assay	63459-2

SPECIMEN REQUIREMENTS				
Specimen	Specimen Volume (min)	Specimen Type	Specimen Container	Transport Environment
Preferred	2mL (1mL)	Serum	Clot Activator SST	Frozen
Instructions	Allow specimen to clot completely at room temperature. Separate serum from cells ASAP or within 2 hours of collection.  Stability: Room Temperature 8hrs, Refrigerated: 48hrs, Frozen: 30 days. Transport Frozen			

GENERAL INFORMATION		
Testing Schedule	Mon - Fri	
Expected TAT	1-3 Days	
Clinical Use	Assist in diagnosis of celiac disease; however, interpret results with caution due to the propensity of assay false positives. Useful to monitor diet compliance in celiac patients.	
CPT Code(s)	86258x2	
Lab Section	Immunology - Serology	

Service provided by Labcorp Oklahoma, Inc. All Rights Reserved. © 2003 - 2025