

HE4, Ovarian Cancer Monitoring

Order Name: **HE4**
Test Number: 2024067
Revision Date: 12/12/2022

TEST NAME	METHODOLOGY	LOINC CODE
HE4, Ovarian Cancer Monitoring	Quantitative Electrochemiluminescent Immunoassay	55180-4

SPECIMEN REQUIREMENTS

Specimen	Specimen Volume (mL)	Specimen Type	Specimen Container	Transport Environment
Preferred	1mL (0.4 mL)	Serum	Clot Activator SST	Refrigerated
Alternate 1	1 mL (0.4 mL)	Serum	Clot Activator (Red Top, No-Gel)	Refrigerated
Instructions	<p>Notes: 0.4 mL (Note: This volume Does NOT allow for repeat testing.)</p> <p>Specimen Type: Red-top tube or gel-barrier tube</p> <p>Specimen Storage: Refrigerate</p> <p>Specimen Collection: If red-top tube is used, transfer separated serum to a plastic transport tube.</p> <p>Special Instructions: Values obtained with different assay methods should not be used interchangeably in serial testing. It is recommended that only one assay method be used consistently to monitor each patient's course of therapy. This procedure does not provide serial monito</p> <p>Specimen Stability: Ambient: 5 days, Refrigerated : 14 days, Frozen: 14 days</p>			

GENERAL INFORMATION

Expected TAT	1 - 3 days
Clinical Use	HE4 is a biomarker for ovarian cancer.
Performing Labcorp Test Code	081700
Notes	Labcorp Test Code: 081700
CPT Code(s)	86305
Lab Section	Reference Lab