

Indoor Allergy Panel

Order Name: **A INDOOR P**

Test Number: 5606625

Revision Date: 08/01/2023

TEST NAME	METHODOLOGY	LOINC CODE
Dust Mite (D. farinae) Allergen	ImmunoCAP	15680-2
House Dust Allergen	ImmunoCAP	15682-8
Cat Dander Allergen	ImmunoCAP	15609-1
Dog Dander Allergen	ImmunoCAP	15685-1
Cockroach, German Allergen	ImmunoCAP	15647-1
Penicillin Chrysogenium Allergen	ImmunoCAP	15924-4
Aspergillus fumigatus Allergen	ImmunoCAP	15549-9

SPECIMEN REQUIREMENTS				
Specimen	Specimen Volume (min)	Specimen Type	Specimen Container	Transport Environment
Preferred	3 mL (1.4 mL)	Serum	Clot Activator SST	Room Temperature
Instructions	Specimen Type: Red-top tube or gel-barrier tube, Separate Serum from Cells into a screwtop transport container. Stability Requirements: Room temperature 14 days, Refrigerated 14 days, Frozen 3 months. (Freeze/thaw cycles Stable x3)			

GENERAL INFORMATION	
Expected TAT	3-5 Days
Notes	Testing Performed at Labcorp Phoenix as Individual Allergens.
CPT Code(s)	86003x7
Lab Section	Reference Lab