

## Mold Allergen Panel

Order Name: **A MOLD PNL**

Test Number: 5622575

Revision Date: 09/06/2024

TEST NAME	METHODOLOGY	LOINC CODE
<b>Alternaria alternata Allergen</b>	ImmunoCAP	15530-9
<b>Aspergillus fumigatus Allergen</b>	ImmunoCAP	15549-9
<b>Curvularia lunata Allergen</b>	ImmunoCAP	15670-3
<b>Penicillin Chrysogenium Allergen</b>	ImmunoCAP	15924-4
<b>Setomelanomma rostrata IgE</b>	ImmunoCAP	6138-2

SPECIMEN REQUIREMENTS				
Specimen	Specimen Volume (min)	Specimen Type	Specimen Container	Transport Environment
Preferred	<b>2.4 mL (1.2 mL)</b>	<b>Serum</b>	<b>Clot Activator SST</b>	<b>Room Temperature</b>
Instructions	<b>Specimen Type:</b> Red-top tube or gel-barrier tube, Separate Serum from Cells into a screwtop transport container. <b>Stability Requirements:</b> Room temperature 14 days, Refrigerated 14 days, Frozen 3 months. (Freeze/thaw cycles Stable x3)			

GENERAL INFORMATION	
Expected TAT	3-5 Days
Notes	Testing Performed at Labcorp Phoenix as Individual Allergens.
CPT Code(s)	86003x5
Lab Section	Reference Lab