

Cotinine Screen Urine

Order Name: **COTININE U**

Test Number: 6006413

Revision Date: 10/17/2017

| TEST NAME             | METHODOLOGY                             | LOINC CODE |
|-----------------------|---|------------|
| Cotinine Screen Urine | Enzyme Multiplied Immunoassay Technique | 12293-7    |

| SPECIMEN REQUIREMENTS |  |               |                         |                       |
|-----------------------|--|---------------|-------------------------|-----------------------|
| Specimen              | Specimen Volume (min)  | Specimen Type | Specimen Container      | Transport Environment |
| Preferred             | 5 mL (1.1 mL)  | Urine, Random | Sterile Urine container | Room Temperature      |
| Instructions          | <b>Notes:</b> 1.1 mL (Note: This volume Does NOT allow for repeat testing).<br><b>Specimen Type:</b> Urine container<br><b>Specimen Storage:</b> Room Temperature<br><b>Specimen Collection:</b> Not Available<br><b>Special Instructions:</b> Not intended for medical-legal use.<br><b>Specimen Stability:</b> Ambient: 14 days, Refrigerated : 14 days, Frozen: 14 days |               |                         |                       |

| GENERAL INFORMATION          |   |
|------------------------------|---|
| Expected TAT                 | 1-4 days  |
| Clinical Use                 | Cotinine is a metabolite of nicotine and may be detected up to seven days after nicotine exposure. The cutoff is set at 100 ng/mL to detect active exposure (smoking). This test will not distinguish between tobacco use and nicotine replacement therapy. |
| Performing Labcorp Test Code | 716555  |
| Notes                        | Labcorp Test Code: 716555   |
| CPT Code(s)                  | 80307   |
| Lab Section                  | Reference Lab   |