Squamous Cell Carcinoma Antigen

Order Name: Sqm Carc Ag
Test Number: 3650700
Revision Date: 04/24/2025

TEST NAME			METHODOLOGY	LOINC CODE
Squamous Cell Carcinoma Antigen			Immunofluorescence Assay (IFA)	9679-2
SPECIMEN REQUIREMENTS				
Specimen	Specimen Volume (min)	Specimen Type	Specimen Container	Transport Environment
Preferred	0.5 mL (0.2 mL)	Serum	Clot Activator (SST or Red No-Gel)	Frozen
Instructions	Specimen Type: Red-top tube or gel-barrier tube Collection: Centrifuge and aliquot serum into a plastic vial. Do not submit in original tube. Specimen Storage: Frozen Specimen Collection: Allow specimen to clot completely at room temperature. Separate serum from cells ASAP or within 2 hours of collection. Special Instructions: Testing referred to Mayo Medical Laboratory; V#SCCA Specimen Stability: Ambient: 7 days, Refrigerated: 7 days, Frozen: 90 days ?Cause for Rejection: Gross hemolysis, gross lipemia, or gross icterus			

GENERAL INFORMATION		
Expected TAT	11 days	
Performing Labcorp Test Code	833599	
CPT Code(s)	86316	
Lab Section	Reference Lab	

Service provided by Labcorp Oklahoma, Inc. All Rights Reserved. © 2003 - 2025