

Voriconazole, Quantitation Serum/Plasma

Order Name: **Voriconazole Lvl**
 Test Number: 6900577
 Revision Date: 12/12/2022

TEST NAME	METHODOLOGY	LOINC CODE
Voriconazole, Quantitation Serum/Plasma	Liquid Chromatography/Tandem Mass Spectrometry	38370-3

SPECIMEN REQUIREMENTS

Specimen	Specimen Volume (min)	Specimen Type	Specimen Container	Transport Environment
Preferred	1 mL (0.5 mL)	Serum	Clot Activator (Red Top, No-Gel)	Refrigerated
Alternate 1	1 mL (0.5 mL)	Plasma	EDTA (Lavender Top)	Refrigerated

Instructions

Specimen Type: Red-top tube OR lavender-top (EDTA) tube

Specimen Collection: Transfer separated serum or plasma to a plastic transport tube. DO NOT USE A GEL BARRIER TUBE. The use of gel-barrier tubes is not recommended due to slow absorption of the drug by the gel. Depending on the specimen volume and storage times, the decrease in drug level due to absorption may be clinically significant.

Specimen Storage / Stability: Refrigerate Stability: Room temperature up to 14 days Refrigerate up to 14 days Frozen up to 14 days.

Causes for Rejection: Gel-barrier tube

GENERAL INFORMATION

Expected TAT	3 - 7 days the next day.
Performing Labcorp Test Code	700353
CPT Code(s)	80285
Lab Section	Reference Lab