

Procollagen I N-Terminal Propeptide

Order Name: **Procollagen NTP**
 Test Number: 6906965
 Revision Date: 12/12/2022

TEST NAME	METHODOLOGY	LOINC CODE
Procollagen I N-Terminal Propeptide	Quantitative Radioimmunoassay	47255-5

SPECIMEN REQUIREMENTS

Specimen	Specimen Volume (min)	Specimen Type	Specimen Container	Transport Environment
Preferred	1 mL (0.4 mL)	Serum	Clot Activator SST	Refrigerated
Alternate 1	1 mL (0.4 mL)	Serum	Clot Activator (Red Top, No-Gel)	Refrigerated
Instructions	<p>Notes: 0.4 mL (Note: This volume Does NOT allow for repeat testing.)</p> <p>Specimen Type: Red-top tube or gel-barrier tube</p> <p>Specimen Storage: Refrigerated</p> <p>Specimen Collection: If red-top tube is used, transfer separated serum to a plastic transport tube.</p> <p>Specimen Stability: Ambient: Not Available, Refrigerated : Not Available, Frozen: Not Available</p>			

GENERAL INFORMATION

Expected TAT	4 - 6 days
Performing Labcorp Test Code	140850
Notes	Labcorp Test Code: 140850
CPT Code(s)	83519
Lab Section	Reference Lab