Lipid Group with NMR LipoProfile w/ Insulin Resistance Markers

Order Name: LIPID/NMR Part

Test Number: 5520007 Revision Date: 07/10/2023

TEST NAME METHODOLOGY LOINC CODE

Lipid Group with NMR LipoProfile w/ Insulin Resistance Markers

SPECIMEN REQUIREMENTS Specimen Container Specimen Specimen Volume (min) Specimen Type Transport Environment Preferred Refrigerated **See Instructions See Instructions See Instructions** Instructions

Patient Preparation: Fast 12 hours prior to collection.

For Lipid Panel:

Collect 1mL(0.5mL) Plasma from Lithium Heparin PST or Serum from Clot Activator SST.

Storage/Transport Temperature: Refrigerated. Stability: Ambient 8 hours. Refrigerated 7 days.

For NMR LipoProfile w/ Insulin Resistance Markers:

Specimen: 2mL(1mL) Serum from Clot Activator (Red Top, No-Gel) keep Refrigerated.

Specimen Type: Do Not use Gel separation tubes.

Specimen Processing: Allow specimen to clot completely at room temperature if using red no gel. Separate serum or plasma from cells ASAP or within 2 hours of collection.

Specimen Stability: After separation from cells: Room Temperature: Unacceptable, Refrigerated: 6 days, Frozen: Unacceptable.

GENERAL INFORMATION	
Testing Schedule	Sun-Sat
Expected TAT	Lipid: 1-2 Days / NMR: 2 - 3 days
Clinical Use	Lipid Group is performed on site at Labcorp Oklahoma, Inc. The NMR LipoProfile w/ Insulin Resistance Markers is performed at Labcorp Test Code: 884209
CPT Code(s)	80061, 83704
Lab Section	Reference Lab

Service provided by Labcorp Oklahoma, Inc. All Rights Reserved. © 2003 - 2025