

Oxalate, Total Random Urine

Order Name: **OXALATE RU**

Test Number: 3808301

Revision Date: 12/09/2022

TEST NAME	METHODOLOGY	LOINC CODE
Oxalate, Total Random Urine	Assay Dependant	

SPECIMEN REQUIREMENTS

Specimen	Specimen Volume (min)	Specimen Type	Specimen Container	Transport Environment
Preferred	10 mL (2.5 mL)	Urine, Random	Sterile Screwtop Container	Room Temperature
Instructions	<p>Specimen Type: Use random urine transport tube or Monovette(R) with pH stabilizer (LabCorp No. 56015). Monovette(R) instructions accompany units.</p> <p>Specimen Storage: Maintain ACIDIFIED urine at room temperature. Acid prevents crystallization and conversion of ascorbate (vitamin C) to oxalate.</p> <p>Specimen Collection: Collect urine and transfer to a random urine transport tube or urine Monovette(R) with pH stabilizer (LabCorp No. 56015).</p> <p>Special Instructions: State patient's age and sex on the test request form and the specimen container. Specimens submitted without preservative should be acidified after receipt to pH less than or equal to 3 with 6N HCl prior to aliquoting.</p> <p>Specimen Stability: Ambient: 7 days, Refrigerated : 7 days, Frozen: 14 days</p>			

GENERAL INFORMATION

Expected TAT	4 - 7 days
Clinical Use	Labcorp Test Code: 123500
CPT Code(s)	82570, 83945
Lab Section	Reference Lab