

Inheritest 14-Gene Panel

Order Name: **Inherit 14**

Test Number: 5194940

Revision Date: 03/21/2023

TEST NAME	METHODOLOGY	LOINC CODE
Inheritest 14-Gene Panel	Polymerase Chain Reaction	

SPECIMEN REQUIREMENTS				
Specimen	Specimen Volume (min)	Specimen Type	Specimen Container	Transport Environment
Preferred	8.5 mL (3mL)	Whole Blood	ACD Solution A or B (Yellow Top)	Room Temperature
Alternate 1	8.5 mL (3mL)	Whole Blood	EDTA (Lavender Top)	Room Temperature
Alternate 2	1	Saliva	Oragene Dx saliva kit	Room Temperature
Alternate 3	1	Buccal swab	PurFlock buccal swab kit	Room Temperature
Instructions	Specimen Type: Whole blood or PurFlock buccal swab kit or Oragene Dx saliva kit Specimen Volume: 8.5 mL whole blood or PurFlock buccal swab kit or Oragene Dx saliva kit Mininum Volume: 3 mL whole blood or PurFlock buccal swab kit or Oragene Dx saliva kit Collection: Standard phlebotomy. Follow PurFlock buccal swab kit or Oragene Dx 500 saliva kit collection instructions. Do not eat, drink, smoke, or chew gum 30 min prior to collection. Specimen Storage: Maintain specimen at room temperature or refrigerate at 4C Do not freeze. Special Instructions: Males are not tested for x-linked disorders, including fragile X syndrome. Test orders must include an attestation that the provider has the patient's informed consent for genetic testing.			

GENERAL INFORMATION	
Expected TAT	14 - 21 days In some cases, additional time may be required for confirmatory or reflex tests.
Performing Labcorp Test Code	481797
Notes	Clinical Questionnaire for Inheritest® Carrier Screen and GeneSeq® PLUS
Lab Section	Reference Lab