Labcorp Oklahoma, Inc. Test Directory

Familial Cardiomyopathy Panel

Order Name: Fam Cardiomyop

Test Number: 5194953 Revision Date: 06/19/2023

	METH	ODOLOGY	LOINC CODE
Familial Cardiomyopathy Panel		Polymerase Chain Reaction	
MENTS			
Specimen Volume (min)	Specimen Type	Specimen Container	Transport Environment
8.5 mL (3 mL)	Whole Blood	ACD Solution A or B (Yellow Top)	Room Temperature
8.5 mL (3 mL)	Whole Blood	EDTA (Lavender Top)	Room Temperature
1	Saliva	Oragene Dx saliva kit	Room Temperature
1	Buccal swab	PurFlock buccal swab kit	Room Temperature
Specimen Volume: 8.5 mL whole Mininum Volume: 3 mL whole ble Collection: Standard phlebotomy chew gum 30 min prior to collection Specimen Storage: Maintain	e blood or PurFlock buccal swab kit of bood or PurFlock buccal swab kit or C r. Follow PurFlock buccal swab kit or on. ecimen at room temperature or refrig	or Oragene Dx saliva kit Oragene Dx saliva kit Oragene Dx 500 saliva kit collection instruct erate at 4C Do not freeze.	
	Specimen Volume (min) 8.5 mL (3 mL) 8.5 mL (3 mL) 1 Specimen Type: Whole blood or Specimen Volume: 8.5 mL whole blood or Specimen Volume: 3 mL whole blood or Specimen Standard phlebotomy chew gum 30 min prior to collections Specimen Storage: Maintain specimen	MENTS Specimen Volume (min) Specimen Type 8.5 mL (3 mL) Whole Blood 1 Saliva 1 Buccal swab Specimen Type: Whole blood or PurFlock buccal swab kit or Oragene Specimen Volume: 8.5 mL whole blood or PurFlock buccal swab kit or Oragene Specimen Volume: 3 mL whole blood or PurFlock buccal swab kit or Collection: Standard phlebotomy. Follow PurFlock buccal swab kit or chew gum 30 min prior to collection. Specimen Storage: Maintain specimen at room temperature or refrigered.	Specimen Volume (min) Specimen Type Specimen Container 8.5 mL (3 mL) Whole Blood ACD Solution A or B (Yellow Top) 8.5 mL (3 mL) Whole Blood EDTA (Lavender Top) Saliva Oragene Dx saliva kit Buccal swab PurFlock buccal swab kit Specimen Type: Whole blood or PurFlock buccal swab kit or Oragene Dx saliva kit Specimen Volume: 8.5 mL whole blood or PurFlock buccal swab kit or Oragene Dx saliva kit Mininum Volume: 3 mL whole blood or PurFlock buccal swab kit or Oragene Dx saliva kit Collection: Standard phlebotomy. Follow PurFlock buccal swab kit or Oragene Dx 500 saliva kit collection instructions.

GENERAL INFORMATION		
Expected TAT	14 - 21 days In some cases, additional time may be required for confirmatory or reflex tests.	
Clinical Use	This test includes the following genes: ABCC9, ACTC1, ACTN2, ALMS1, ALPK3, ANKRD1, APOA1, BAG3, CALR3, CAV3, CRYAB, CSRP3, DES, DMD, DNAJC19, DOLK, DSC2, DSG2, DSP, DTNA, EMD, EYA4, FHL1, FKRP, FKTN, FLNC, GLA, JPH2, JUP, LAMA4, LAMP2, LDB3, LMNA, MYBPC3, MYH6, MYH7, MYL2, MYL3, MYLK2, MYOT, MYOZ2, MYPN, NEBL, NEXN, PDLIM3, PKP2, PLN, PRDM16, PRKAG2, RBM20, RYR2, SCN5A, SGCD, SLC25A4, TAFAZZIN, TCAP, TGFB3, TMEM43, TMPO, TNNC1, TNNI3, TNNT2, TPM1, TRIM63, TTN, TTR and VCL.	
Performing Labcorp Test Code	482207	
Notes	Labcorp Test Code: 482207	
CPT Code(s)	81439	
Lab Section	Reference Lab	

Analysis, test code 5194970. Test orders must include an attestation that the provider has the patient's informed consent for genetic testing.

Service provided by Labcorp Oklahoma, Inc. All Rights Reserved. © 2003 - 2025