

## Mycoplasma genitalium, NAA, Urine

Order Name: **M genital, UR**  
 Test Number: 5195311  
 Revision Date: 09/12/2023

TEST NAME	METHODOLOGY	LOINC CODE
Mycoplasma genitalium, NAA, Urine	Nucleic acid amplification (NAA)	

### SPECIMEN REQUIREMENTS

Specimen	Specimen Volume (min)	Specimen Type	Specimen Container	Transport Environment
Preferred	30 mL (2 mL)	Urine (See Inst.)	APTIMA Urine Transport Tube	Room Temperature

**Instructions**

**Specimen:** First-void urine in Aptima® urine transport  
**Volume:** 2 mL of a 20 to 30 mL urine collection  
**Container:** Aptima® urine transport  
**Collection:** Urine specimen: The patient should not have urinated for at least one hour prior to specimen collection. Direct patient to provide a first-catch urine (approximately 20 to 30 mL of the initial urine stream) into a urine collection cup free of any preservatives. Collection of larger volumes of urine may result in specimen dilution that may reduce test sensitivity; lesser volumes may not adequately rinse organisms into the specimen. Female patients should not cleanse the labial area prior to providing the specimen. Add urine to the Aptima® Combo 2 urine collection device. The final volume must be between the two black lines on the device (about 2 mL).  
**Storage Instructions:** Maintain specimen at room temperature or refrigerate (2°C to 30°C).  
**Stability** Room temperature 30 days (stability provided by manufacturer or literature reference)

### GENERAL INFORMATION

Expected TAT	3-4 days						
Performing Labcorp Test Code	180025						
Notes	<table border="1"> <thead> <tr> <th>RESULT CODE</th> <th>RESULT NAME</th> <th>LOINC</th> </tr> </thead> <tbody> <tr> <td>6907667</td> <td>M genitalia Ur</td> <td>88226-6</td> </tr> </tbody> </table>	RESULT CODE	RESULT NAME	LOINC	6907667	M genitalia Ur	88226-6
	RESULT CODE	RESULT NAME	LOINC				
6907667	M genitalia Ur	88226-6					
CPT Code(s)	87563						
Lab Section	Reference Lab						