

Amplified TV-Cervix (send out)

Order Name: **Amp TV Cervix**

Test Number: 5195569

Revision Date: 06/25/2024

TEST NAME	METHODOLOGY	LOINC CODE
Amplified TV-Cervix (send out)	Nucleic acid amplification (NAA)	70166-4

SPECIMEN REQUIREMENTS				
Specimen	Specimen Volume (min)	Specimen Type	Specimen Container	Transport Environment
Preferred	1	Endocervical swab	Cobas(R) PCR Female Swab Sample Kit	Room Temperature
Instructions	Aptima (Gen-probe) Endocx/ureth swab - cobas(R) PCR Female Swab Sample Kit Collection: Collecting an endocervical swab specimen for use in NAAT testing procedures involves the use of a speculum and includes the use of two swabs one for initial cleaning of the cervix to remove excess mucus from the cervical os and surround mucosa (this swab should be discarded), and a second for specimen collection. 1) Use one of the swabs in the collection kit to clean the mucous from the cervix. 2) Discard the cleaning swab. 3) Use a second swab to collect the specimen by insertion of the swab into the endocervical canal followed by gentle rotation of the swab. 4) Withdraw the collection swab while avoiding contact with the vaginal mucosa. 5) Place the swab into the PCR media tube and break the shaft at the score line. 6) Do not submit both swabs. 7) Tightly and securely seal the PCR media tube. 8) Mixed to ensure the collected specimen has been thoroughly exposed to the transport media which contains nucleic acid stabilizing agents. Cause for Rejection: Contamination, Bloody; 2 swabs in tube; less than 2 mL liquid; no swab inside the tube or inverted swabs ?Storage Instructions: Room temperature Stability: Room temperature: 365 days Refrigerated: 365 days			

GENERAL INFORMATION	
Expected TAT	Assay Dependent
Performing Labcorp Test Code	183347
CPT Code(s)	87661
Lab Section	Reference Lab