

CT/GC Amplified-Cervix (send out)

Order Name: **CT/GC Amp Cerv**
 Test Number: 5195624
 Revision Date: 06/25/2024

| TEST NAME | METHODOLOGY | LOINC CODE |
|-----------------------------------|----------------------------------|------------|
| CT/GC Amplified-Cervix (send out) | Nucleic acid amplification (NAA) | See Notes |

SPECIMEN REQUIREMENTS

| Specimen | Specimen Volume (min) | Specimen Type | Specimen Container | Transport Environment |
|-----------|-----------------------|-------------------|-------------------------------------|-----------------------|
| Preferred | 1 | Endocervical swab | Cobas(R) PCR Female Swab Sample Kit | Room Temperature |

Instructions

Aptima (Gen-probe) Endocx/ureth swab - cobas(R) PCR Female Swab Sample Kit

Collection: Collecting an endocervical swab specimen for use in NAAT testing procedures involves the use of a speculum and includes the use of two swabs one for initial cleaning of the cervix to remove excess mucus from the cervical os and surround mucosa (this swab should be discarded), and a second for specimen collection. 1) Use one of the swabs in the collection kit to clean the mucous from the cervix. 2) Discard the cleaning swab. 3) Use a second swab to collect the specimen by insertion of the swab into the endocervical canal followed by gentle rotation of the swab. 4) Withdraw the collection swab while avoiding contact with the vaginal mucosa. 5) Place the swab into the PCR media tube and break the shaft at the score line. 6) Do not submit both swabs. 7) Tightly and securely seal the PCR media tube. 8) Mixed to ensure the collected specimen has been thoroughly exposed to the transport media which contains nucleic acid stabilizing agents.

Storage Instructions: Room temperature Stability: Room temperature: 365 days Refrigerated: 365 days

Cause for Rejection: Contamination, Bloody; 2 swabs in tube; less than 2 mL liquid; no swab inside the tube or inverted swabs

GENERAL INFORMATION

| | |
|------------------------------|--|
| Expected TAT | Assay Dependent |
| Performing Labcorp Test Code | 183323 |
| Notes | Amplified GC-Cervix 50388-8 Amplified CT-Cervix 21190-4 |
| CPT Code(s) | 87491; 87591 |
| Lab Section | Reference Lab |